

FIG. 1A

BEST AVAILABLE COPY




FIG. 1B

BEST AVAILABLE COPY




FIG. 2A

BEST AVAILABLE COPY




FIG. 2B

BEST AVAILABLE COPY




FIG.3A

BEST AVAILABLE COPY




FIG. 3B

BEST AVAILABLE COPY




FIG. 3C

BEST AVAILABLE COPY




FIG. 3D

BEST AVAILABLE COPY




FIG. 4




FIG. 5




FIG. 6A




FIG. 6B




FIG. 7




FIG. 8

BEST AVAILABLE COPY

Tensile Testing for Meniscal Scaffolds





FIG. 9

Tensile Testing of Meniscal Scaffolds



BEST AVAILABLE COPY

FIG. 10

Tensile Testing for Meniscal Scaffolds




FIG. 11




FIG. 12




FIG. 13




FIG. 14





FIG. 15



Percent Fill:
Poor (10%)


FIG. 16

BEST AVAILABLE COPY



Percent Fill:
Good (69.20%)

FIG. 17



Percent Fill:
Good (55%)

FIG. 18


BEST AVAILABLE COPY



Percent Fill:
Good (68%)

FIG. 19

BEST AVAILABLE COPY



Percent Fill:
Excellent (89%)

BEST AVAILABLE COPY


FIG. 20



Percent Fill:
Poor (3%)

FIG. 21

BEST AVAILABLE COPY



Percent Fill:
Poor (48%)

BEST AVAILABLE COPY

FIG. 22



Percent Fill:
Excellent (85%)

BEST AVAILABLE COPY

FIG. 23